

Diverse item selection using ranking approach in recommender system

C.Jayaramulu
Research Scholar
Dayananda Sagar University,
Bangalore.
Email: jayaramcomp@gmail.com

Dr. Sateesh TK
Chairman and Professor
Dayananda Sagar University,
Bangalore.
Email: chairman-ct@dsu.edu.in

Abstract— The method involving figuring out, gathering, setting up, and also which represents the actual applicable information in a very area while using examine involving existing programs and also the growth histories, understanding grabbed through area authorities, root concept, and also rising technological know-how within the area. Within this cardstock, all of us found a recommender technique applying rank process in which is built to accomplishing area investigation. Existing approaches used mining and recommender systems for domain analysis in this a ranking technique is added to it. The results show the improvement to existing approaches.

Index Terms— Domain analysis, recommender systems, clustering, association rule mining, k-nearest neighbor, Standard ranking

1. INTRODUCTION

Domain analysis is identified with necessities analysis and large amount plan, yet is performed in a much more extensive extension and creates distinctive results. It envelops a group of frameworks in a space, instead of a solitary framework, creating an area model with parameterization to suit the contrasts and a standard construction modeling for creating programming segments. A perfect area model and building design would be material for the duration of the life burn from necessities analysis through upkeep. Peculiarity displaying is ordinarily used to catch the shared characteristics and variabilities of frameworks in an area throughout Space Analysis. The yield of peculiarity demonstrating will be some reusable possessions (parts, designs, area particular dialect, and so on.) to be sustained into the requisition designing stage for extreme programming items. In any case ebb and flow practice fails to offer a programmed methodology for consistent era of reusable stakes from peculiarity models. Albeit a few area analysis strategies, for example, Gimmick Situated Space Analysis (FODA) [17], and the Space Analysis and Nature (DARE) [13] have been created, these methodologies for the most part expect that examiners use existing prerequisites documentation and afterward

physically or semi-physically assess the documentation to concentrate characteristics. They give minimal forthright backing to computerizing the errand of distinguishing gimmicks or for comprehension their structure standards. Thus, space analysis has a tendency to be truly work escalated, subordinate upon the aptitude of accessible experts or topic masters, and compelled by the accessibility of prerequisites details from past related activities. To address these issues, specialists have connected datamining and characteristic dialect handling (NLP) procedures to robotize the methodology of mining peculiarities from prerequisites determinations or venture stores [3, 8, 25]. In any case, these strategies are just helpful when an association has an accessible store of necessities details or other related stakes. Moreover, the mechanized analysis of existing reports is obliged to the gimmicks portrayed in those records. This methodology along these lines neglects to investigate the full extend of gimmicks that may be offered by contenders and does not help experts to investigate thoughts past the limits their current items.

2. RELATED WORK

This work overcomes any and all hardships between mechanized peculiarity recognition and recommender frameworks. We thusly give a short foundation overview on each of these ranges. A few specialists have awhile ago explored the utilization of data recovery techniques for developing gimmick models. For instance, the Area Analysis and Nature's turf (DARE) [13] utilizes semi-computerized devices to concentrate space vocabulary from content sources, and afterward distinguishes basic space elements, capacities, and items, by bunching around related words and expressions. Chen et al. [8] physically build necessities relationship diagrams (RRG) from a few diverse prerequisites particulars and afterward utilize grouping strategies to consolidation them into a solitary space tree. Vander Alves et.al. [3] used the Vector Space Model (VSM) and Inert Semantic Analysis (LSA) to focus the

likeness in the middle of necessities and create an affiliation framework which is then bunched. A consolidating step is then executed to make the whole area characteristic model. Noppen et al. [16] enlarged this work by incorporating fluffy sets in the system to permit singular prerequisites to be copartnered into numerous gimmicks. Niu and Easterbrook [24, 25] created an on-interest bunching structure that gave self-loader help for examining useful necessities in a product offering [22]. Weston et al. [33] presented a device named Arborcraft, which makes gimmick models from prerequisites details by using bunching techniques to distinguish introductory gimmicks and after that a vocabulary dictionary and syntactic example matching to recognize characteristic variants. The essential impediments of these methodologies are their dependence after existing prerequisites determinations, and the imperatives connected with mining gimmicks from just a little handful of details. Then again, such prerequisites determinations give a deeper viewpoint of the item than our methodology has to surmise through breaking down several distinctive item particulars. The field of recommender frameworks has additionally been mulled over widely, however basically inside the connection of e-business frameworks, where various calculations have been created to model client inclination and make expectations. These calculations change incredibly, contingent upon the kind of information they use as a data to make the proposals. Case in point, some use content data about the things [26], or shared information of different clients' evaluations [31], or learning guidelines of the area [27], or half breed methodologies [28]. Considerable measures of work have been carried out in the region of assessing recommender frameworks [15] and on more up to date very proficient calculations, for example, those focused around framework factorization [19]. Regardless of the expansion of both of these fields, there has been almost no work consolidating recommender frameworks and necessities building. Work around there has concentrated on suggesting subjects of enthusiasm toward expansive scale online prerequisites discussions [7], and a large amount outline of conceivable uses and requisitions of recommender frameworks in this space [21]. The utilization of recommender frameworks in this paper expands on the considerable foundation of examination here.

3. PROPOSED WORK

In the proposed system a new standard ranking is applied on feature data set. The work is as done as follows

A) Granularity determination:

- To determine how many features to generate for a given product category
- The ideal number of clusters K is computed as follows:

where N_j represents the total number of occurrences of term t_j ,

$$K = \sum_{v_i \in F} \sum_{j=1}^W \frac{f_{i,j}}{|v_i|} \cdot \frac{f_{i,j}}{N_j} = \sum_{v_i \in F} \frac{1}{|v_i|} \sum_{j=1}^W \frac{f_{i,j}^2}{N_j}$$

B) Clustering feature descriptors:

A predefined number of candidate clusterings are generated and then integrated into a final clustering

C) Selecting the best cluster:

In each iteration IDC selects and promotes the “best” cluster to the status of a feature.

D) Removing dominant terms:

To remove dominant terms, all terms exhibiting weights above a predefined threshold (0.15) in the vector representing the centroid of the “best” cluster are selected.

E) Post processing:

- removing misfits,
- recomputing centroids,
- checking for missing members, and finally
- merging similar features.

F) Feature naming:

Each feature is named through identifying the medoid, defined as the descriptor that is most representative of the feature’s theme.

G) Creating Initial Product Profile:

First an initial product profile is constructed in a format compatible with the feature model.

H) Feature Recommendations Association Rule Mining:

Features within product categories exhibit various kinds of associations or disassociations which can be leveraged to improve the accuracy of feature recommendations.

I) Feature Recommendations Using Binary kNN

The kNN algorithm computes a feature-based similarity measure between a new product and each existing product.

$$productSim(p, n) = \frac{|F_p \cap F_n|}{\sqrt{|F_p| \cdot |F_n|}}$$

4. RESULTS




Fig1: Hit ratio comparison of Existing and Proposed

As above figure states Y axis represents Hit ratio and X axis represents No of Recommendations. In the Experiments All products are taken which come under antivirus. Total 1000

products are taken. All the Information gathered from Softpedia website.

5. CONCLUSION

Recommended method mines attribute descriptors with regard to many items via widely accessible software package repositories of solution descriptions and also works by using this specific information to find out functions and also the interactions. A new ranking technique is added to the existing technique. As the experiments clearly show that Proposed system hit ratio is increased than compared to existing system.

REFERENCES

- [1] Negar Hariri, Carlos Castro-Herrera, Member, IEEE, Mehdi Mirakhorli, Student Member, IEEE, Jane Cleland-Huang, Member, IEEE, and Bamshad Mobasher, Member, IEEE, "Supporting Domain Analysis through Mining and Recommending Features from Online Product Listings," IEEE TRANSACTIONS ON SOFTWARE ENGINEERING, VOL. 39, NO. 12, DECEMBER 2013
- [2] R. Agrawal and R. Srikant, "Fast Algorithms for Mining Association Rules," Proc. 20th Int'l Conf. Very Large Data Bases, 1994.
- [3] R. Agrawal and R. Srikant, "Fast Algorithms for Mining Association Rules," Proc. 20th Int'l Conf. Very Large Data Bases (VLDB '94), pp. 487-499, Sept. 1994.
- [4] J. Schafer, D. Frankowski, J. Herlocker, and S. Sen, "Collaborative Filtering Recommender Systems," The Adaptive Web, pp. 291-324, Springer, 2007.
- [5] H. Dumitru, M. Gibiec, N. Hariri, J. Cleland-Huang, B. Mobasher, C. Castro-Herrera, and M. Mirakhorli, "On-Demand Feature Recommendations Derived from Mining Public Software Repositories," Proc. 33rd Int'l Conf. Software Eng., p. 10, May 2011.
- [6] C.D. Manning, P. Raghavan, and H. Schütze, Introduction to Information Retrieval. Cambridge Univ. Press, 2008.
- [7] J.C. Bezdek, Pattern Recognition with Fuzzy Objective Function Algorithms. Kluwer Academic Publishers, 1981.
- [8] I.S. Dhillon and D.S. Modha, "Concept Decompositions for Large Sparse Text Data Using Clustering," Machine Learning, vol. 42, no. 1/2, pp. 143-175, 2001.
- [9] D.M. Blei, A.Y. Ng, and M.I. Jordan, "Latent Dirichlet Allocation," J. Machine Learning Research, vol. 3, pp. 993-1022, 2003.